



**BOTTOM VIEW**

Part No.	<b>TQPACK144SD</b>	
IC package	Square	
Pin count	144Pin	
Lead pitch	0.5mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET144SD Series




Eye Point




Part No.	<b>TQ/YQSOCKET144SD</b>	
IC package	Square	
Pin count	144	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a Footprint pattern of TQPACK144SD



Part No.	<b>TQPACK144SD</b>
IC package	Square
Pin count	144Pin
Lead pitch	0.5mm
Unit : mm	Design : M.H
<b>TET</b> TOKYO ELETECH CORP.	

# Recommended a PWB layout of TQSOCKET120/144SD Series



\*1


## NOTES:

\*1  $\oplus$  mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

\*2 TQSOCKET guide pin hole and location.

\*3 Screw hole and location for fastening TQSOCKET.



Part No.	<b>TQ120/144SD</b>	
IC package	Square	
Pin count	120Pin	
Lead pitch	0.5mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		